


[illegible]

The drawing consists of two main parts: a cross-section at the top and a plan view at the bottom. The cross-section shows a three-story building with a central core and two side wings. Dimensions include a total width of 470 and a height of 10. The plan view shows the layout of the building, with dimensions including a total width of 470 and a total length of 10. The drawing includes various section lines and a large red watermark reading 'Copyright 2020'.




技术要求

1. 轨道接头的缝隙1~2mm
2. 接头处两轨道的横向位移或高低不平的误差不得大于1mm
3. 焊后轨道上平面、内侧面及360°侧面直线度允差2mm
4. 所有焊缝必须达到焊接要求, 封板后焊不到的焊缝需在底板上开工艺孔焊接, 焊完后补焊工艺孔

16	TZT400.06.01-16	封板	2	钢板3/Q235-A	9.15	18.3	0.00-200+0.025
15	TZT400.06.01-15	隔板	4	钢板3/Q235-A	5.91	23.64	0.00-1773+0.025
14	TZT400.06.01-14	隔板	14	钢板3/Q235-A	1.53	21.42	0.00-1087+0.025
13	TZT400.06.01-13	盖板	14	钢板3/Q235-A	3.12	43.68	0.00-64.5+0.025
12	TZT400.06.01-12	饰条	1	镀锌180/Q235-A	44.25	44.25	
11	TZT400.06.01-11	隔板	2	钢板16/Q235-A	3.26	6.52	0.00-1239+0.025
10	TZT400.06.01-10	隔板	1	钢板16/Q235-A	31.25	31.25	0.00-2000+0.025
9	TZT400.06.01-09	侧板	2	钢板12/Q235-A	77.97	155.94	0.00-200+0.025
8	TZT400.06.01-08	底板	1	钢板16/Q235-A	15.08	15.08	0.00-1000+0.025
7	TZT400.06.01-07	强板	2	钢板3/Q235-A	61.65	123.3	0.00-1084+0.025
6	TZT400.06.01-06	增槽	4	增槽20/Q235-A	77.89	311.56	0.00-5800无底
5	TZT400.06.01-05	支板	2	钢板16/Q235-A	66	132	0.00-1271+0.025
4	TZT400.06.01-04	支板	1	钢板16/Q235-A	321	321	
3	TZT400.06.01-03	夹块	2	垫块16-TB222-63	92.49	184.98	0.00-5000无底
2	TZT400.06.01-02	垫板	2	钢板12/Q235-A	226.01	452.01	0.00-1000+0.025
1	TZT400.06.01-01	顶板	2	钢板20/Q235-A	116.85	233.7	0.00-1000+0.025
序号	代号	名称	数量	材料	重量	质量	备注
				附件		南京工业大学	
标记	失效	分区	更改文件号	签名	年、月、日		
设计			标准图号			施座	
绘图			制图				
审核			校核				
工价			复核				
				S	2	2092	TZT400.06_01
				共	张	表	

A1-下底座



10	Y2Z400.05.03-10	圈板	8	板板8/QZ35A	40.00	325.44	2.4	4.8	151-200+200+200
9	Y2Z400.05.03-09	圈板	2	板板20/QZ35A			2.4	4.8	151-200+200
7	Y2Z400.05.03-08	圈板	16	板板8/QZ35A	0.74	11.84	0.74	11.84	2010-2011+2012
6	Y2Z400.05.03-07	圈板	83	板板8/QZ35A	6.09	535.92	0.19	2010-2011+2012	
5	Y2Z400.05.03-06	圈板	5	板板8/QZ35A	49.73	248.63	0.15	2010-2011+2012	
4	Y2Z400.05.03-05	封板	4	板板8/QZ35A	11.99	47.96	0.15	2010-2011+2012	
3	Y2Z400.05.03-04	封板	4	板板8/QZ35A	38.025	128.1	0.15	2010-2011+2012	
2	Y2Z400.06.02-03	支板	1	板板20/QZ35A	138.3	4138.3	4.4	138.3+1000+1000	
1	Y2Z400.05.03-01	支板	1	板板14/QZ35A	2384.1	73384.1	1400	2384+1000+1000	
序号	代号	名称	数量	材料	重量	重量	重量	重量	备注

