


Technical drawing of a window frame cross-section. The drawing shows a central window unit with a frame and a sash. The frame is composed of several parts, including a top rail, a bottom rail, and side rails. The sash is shown in a closed position. The drawing includes various dimensions and labels:


- 1: Window frame profile
- 2: Window frame profile
- 3: Window frame profile
- 4: Window frame profile
- 5: Window frame profile
- 6.3: Dimension
- 0.2: Dimension
- 0.2: Dimension

Legend:


- 1: Window frame profile
- 2: Window frame profile
- 3: Window frame profile
- 4: Window frame profile
- 5: Window frame profile

[illegible]

2-超高压水切割机系统图-A2

[illegible]

其余 ☒




技术要求:

- 1、热处理： 硬度229~302HBS。
- 2、未注铸造圆角R3~5mm。
- 3、未加工外表面涂防锈耐油油漆。

						45	湘潭大学兴湘学院 机械3班			
							缸 体	GYSSL-4		
标记	处数	分 区	更改文件	签名	年 月 日					
设计	胡超	06/05	标准化		2012.5.30	阶段标记	质量	比例		
审核								1:2		
工艺			批准			共10张	第 4张			

4-缸盖-A3



							45			湘潭大学 兴湘学院	
										缸 盖	
标记	处数	分区	更改文件号	签名	年 月 日		阶段比例	质量	比例	GYSSL-5	
设计	胡超	06/05	标准化		2012.5.30				1:2		
审核							共 10 张 第 5 张				
工艺			批准								

5-喷嘴结构图-A3




技术要求

- 1 去毛刺、锐边
- 2 未标注粗糙度为6.3
- 3 未标注倒角为3-5x45°

							蓝宝石			湘潭大学 兴湘学院	
										喷嘴结构图	
标记	处数	分 区	更改文件号	签名	年、月、日		阶 段 标 记	重 量	比 例	GYSSL-6	
设 计	胡超	(年月日)	标准化	(签名)	2012.5.30						
审 核										共10 张 第 10页	
工 艺			批 准								

6-高压缸盖-A3

其余 $\sqrt[12.5]{}$




技术要求:

- 1、去毛刺，锐边。
- 2、未注圆角 $R3\sim5$ 。
- 3、材料：45钢。


							45			湘潭大学 兴湘学院	
标记	处数	分区	更改文件号	签名	年	月				高压缸盖	
设计	胡超	06/05	标准化		2012.5.30		阶段比例	质量	比例	GYSSL-3	
审核									1:1		
工艺			批准				共10张 第3张				

7-高压缸体-A3



						40Cr			湘潭大学 兴湘程学院	
									高压缸体	
标记	处数	分区	更改文件号	签名	年月日	阶段比例	质量	比例	GYSSL-2	
设计	胡超	06/05	标准化		2012.5.30					
审核								1:2	共10张 第2张	
工艺			批准							

8-增压系统原理图-A3



标记	处数	分 区	更改文件号	签名	年、月、日				
设 计	胡超	(年月日)	标准化	(签名)	2012.5.30	阶 段	标 记	重 量	比 例
审 核									
工 艺			批 准			共 10 张 第 7 页			GYSSL-7